Amendment to the Claims:

5

This listing of claims will replace all prior versions, and listings, of claims in the application:

- 1. (Currently Amended) A method for making individual pieces of extruded chewy granola comprising the steps of:
 - (a) Mixing water, dry ingredients comprising at least two dry ingredients selected from a rolled grain, crisp rice, and one or more inclusions, a starch or flour, and binder syrup to form a wet granola dough;
 - (b) Resting said wet granola dough for at least 1 hour;
 - (c) Extruding said rested wet granola dough through an opening to form an extruded granola;
 - (d) Cutting said extruded granola into pieces; and
- 10 (e) Drying said granola pieces.
 - (Original) The method of claim 1 wherein said binder syrup is pre-mixed with water prior to said binder syrup's addition to dry ingredients to form said wet granola dough at step a).
 - 3. (Original) The method of claim 1 wherein said binder syrup is pre-mixed with water and maintained at a temperature between about 70 °F to about 130 °F prior to said binder syrup's addition to dry ingredients to form said wet granola dough at step a).

4. (Original) The method of claim 1 wherein a binder syrup is pre-mixed without water prior to said binder syrup's addition to dry ingredients and water to form said wet granola dough step a).

- 5. (Original) The method of claim 1 wherein dry ingredients are mixed with water prior to said binder syrup's addition to said dry ingredients wherein said binder syrup is at a temperature between about 70 °F and about 130 °F, to form said wet granola dough at step a).
- 6. (Original) The method of claim 1 wherein said dry ingredients are pre-mixed prior to said binder syrup's addition to said dry ingredients to form a chewy granola prior to step a).
- 7. (Original) The method of claim 1 wherein said dry ingredients and water are pre-mixed prior to said binder syrup's addition to said dry ingredients to form said wet granola dough at step a).
- 8. (Original) The method of claim 1 wherein glycerin, sorbitol, shortening and corn syrup are mixed and heated to about 120 °F and wherein granulated sugar, corn syrup solids and salt are then added to form a binder syrup prior to said binder syrup's addition to said dry ingredients to form a chewy granola prior to step a).

9. (Original) The method of claim 8 wherein water is added to said binder syrup to form a mixture and wherein said mixture is heated to about 130 °F.

- 10. (Original) The method of claim 1 wherein said wet granola dough comprises at least 9 percent water by weight.
- 11. (Original) The method of claim 1 wherein said wet granola dough comprises between about 6 percent and about 10 percent water by weight.
- 12. (Original) The method of claim 1 wherein said wet granola dough comprises between about 10 percent and about 14 percent water by weight.
- 13. (Original) The method of claim 1 wherein the said extruding of step (c) occurs with a die compression ratio of between about 1 and about 6.
- 14. (Original) The method of claim 1 wherein the said extruding of step (c) occurs with a die compression ratio of between about 2 and about 3.
- 15. (Original) The method of claim 1 wherein the said extruding of step (c) occurs with a filler compression ratio of between about 1 and about 3.
- 16. (Original) The method of claim 1 wherein said extruding of step (c) occurs with a total compression ratio of between about 1 and about 10.

17. (Original) The method of claim 1 wherein said extruding of step (c) occurs with a total compression ratio of between about 4 and about 6.

- 18. (Original) The method of claim 1 wherein said extruded chewy granola piece formed by steps (c) and (d) is non-rectangular in shape.
- 19. (Original) The method of claim 1 wherein the cutting of step (d) produces bite-sized extruded chewy granola pieces.
- 20. (Original) The method of claim 1 wherein said extruded chewy granola pieces after the drying of step (e) comprise between about 4 and about 10 percent water by weight.
- 21. (Original) The method of claim 1 wherein said drying of step (e) takes place in an oven.
- 22. (Original) The method of claim 1 wherein said drying of step (e) occurs below 400 °F.
- 23. (Original) The method of claim 1 wherein said drying of step (e) occurs between about 250°F and about 350°F and for about 5 to about 10 minutes.
- 24. (Original) The method of claim 1 wherein said drying of step (e) occurs below 200 °F.
- 25. (Original) The method of claim 1 wherein said drying of step (e) occurs below 130 °F.

26.	(Cancel	led)	ì.
			,.

- 27. (Original) The method of claim 1 wherein said extruded chewy granola pieces become extruded crunchy granola pieces after the drying of step (e) and wherein said crunchy granola pieces comprise between about 0 to about 4 percent water by weight.
- 28. (Original) The method of claim 27 wherein said drying of step (e) occurs above about 250°F for about 10 to 20 minutes.
- 29. (Original) The method of claim 1 wherein said wet granola dough is mixed with a sigma blade mixer in a batch process.
- 30. (Original) The method of claim 1 wherein wet granola dough is mixed with a continuous mixer.
- 31. (Original) The method of claim 1 wherein wet granola dough is extruded with a roll extruder.
- 32. (Original) The method of claim 31 wherein said roll extruder comprises a plurality of rolls with about an 11-inch diameter.

33. (Original) The method of claim 31 wherein said roll extruder comprises rolls at least 5 inches in diameter.

- 34. (Original) The method of claim 31 wherein said roll extruder is about 36 inches to about 50 inches wide.
- 35. (Canceled).
- 36. (Original) The method of claim 1 wherein said extruded chewy granola pieces are filled with a filling at step c) to become a filled granola piece.
- 37. (Currently Amended) The method of claim 36 wherein said filling is selected from the group consisting of a fruit filling, a fat-based compound, a sugar-based compound, a chocolate-based filling, a cream-based compound, a custard-based compound, and yogurt compound, and mixtures thereof.
- 38. (Original) The method of claim 1 wherein said wet granola dough is extruded with a screw extruder.
- 39. (Previously Presented) The method of claim 1 wherein said dry ingredients comprise rolled oats and wherein said rolled oats are encapsulated in an edible coating selected from the group consisting of a carbohydrate, a hydrocolloid, a wax, a fat, and mixtures thereof.

40. (Original) The method of claim 39 wherein said encapsulated rolled oats comprises:

about 50 to 99.8 percent rolled oats;

about 0 to 50 percent coconut oil; and

about 0 to 30 percent water.

about 0 to 50 percent sugar;

41. (Original) The method of claim 39 wherein said encapsulated rolled oats comprises:

about 60 to 90 percent rolled oats;

about 5 to 20 percent sugar;

about 0 to 10 percent coconut oil; and

about 0 to 10 percent water.

- 42. (Previously Presented) The method of claim 1 wherein said dry ingredients comprise crisp rice and wherein said crisp rice are encapsulated in an edible coating selected from the group consisting of a carbohydrate, a hydrocolloid, a wax, a fat, and mixtures thereof.
- 43. (Original) The method of claim 42 wherein said encapsulated crisp rice comprises:

about 60 to 90 percent crisp rice;

about 5 to 20 percent sugar;

about 0 to 10 percent coconut oil; and

about 0 to 10 percent water.

44. (Original) The method of claim 42 wherein said encapsulated crisp rice comprises:

about 50 to 99.8 percent crisp rice; about 0 to 50 percent sugar; about 0 to 50 percent coconut oil; and about 0 to 30 percent water.

45. (Canceled)

46. (Currently Amended) A method for making individual pieces of extruded chewy granola comprising the steps of:

- (a) Mixing water with at least one dry ingredient selected from crisp rice and rolled grains comprising a cereal grain to form a-pre-hydrated cereal graincomponents;
- (b) Resting said pre-hydrated eereal grain components for at least about one-half hour;
 - (c) Mixing said pre-hydrated eereal grain components with binder syrup to make a wet granola dough;
 - (d) Extruding said wet granola dough through an opening to form an extruded granola; and
 - (e) Cutting said extruded granola into pieces;
 - (f) Drying said granola pieces.

5

10

- 47. (Original) The method of claim 46 wherein said extruded chewy granola pieces become extruded crunchy granola pieces after the drying of step (f).
- 48. (Original) The method of claim 46 wherein said extruded chewy granola pieces are filled with a filling at step (d) to become a filled granola piece.